## working on a fresh future








When we created the category more than 35 years ago, we were so certain that the concept of on-the-spot squeezed juice would be a success that we designed commercial juicers with the intention of making them last for as long as possible.

Some of these machines are still a working proof of our commitment to excellence.

# Working on a fresh future.





## Your business,

## is our business.



# We grow, we improve, we learn

# 20 million pieces of fruit squeezed every day

Zumex

Data is an essential part of our business, as it helps us to make the necessary decisions and continue to improve. In other words, thanks to data we have been able to get to where we are now, enjoying a strong presence in five continents and five subsidiaries. In small local companies and large international groups such as Nike, Google or Facebook. With solutions ranging from the world's most compact super-automatic commercial juicer to a premium juice production plant in New York. Our juicers serve juices by land, sea and air, 24 hours a day, 365 days a year. Around 5 million juices every day. More than 200,000 an hour. 3,472 per minute or more than 58 every second. We cannot understand our business without data. That is why we launched the Soul Series 2, the first ever commercial juicer with connectivity, along with the rest of the Smart Juicer range and Zumex Connect, to provide our partners with their own data and the information they need to improve their business performance and increase their profits — in real time and from anywhere.

12



# Top performance


# Extracts more juice for each fruta squeezed

There are certainly many ways to evolve. But to stay ahead you can never compromise on product quality. We are sure of that. We are committed to making sure that every innovation has a positive impact on our current and future partners. That is how we broke into the hospitality industry with the Original System<sup>®</sup> more than 35 years ago.

A juicing unit that made the most of every fruit, to which we added silver ion nanotechnology to ensure food safety — the ASP®.


And yes, we are talking in the past tense. Why? Because we have reinvented it. Welcome to the new Original System® Top Performance. It perfectly adapts to every orange, exerting the optimum pressure on every piece of fruit. More yield, more profit. Up to 10% in savings on the cost of the fruit. Squeeze ten, and another one for free. These are the changes that pay off.

14





# Innovation without limits



## Take control with the new 1Step Kit

When we say that we work hand in hand with our partners, it is not just a figure of speech. The new 1Step is the best example of this philosophy. Our clients needed to simplify the cleaning process and reduce cleaning times. Said, done and ready to go. After six years of constant innovation, we have now launched the third generation of accessories with a sturdier structure. It is also more ergonomic and easier to dismantle, hold and transport thanks to its

# Maximum durability

18

# Marine grade stainless steel

Just a tap. But what a tap. If you are wondering how to make such a 'simple' component last as long as possible, the answer is easy: with the tireless efforts of our engineering team. Since the first generation of the Speed tap, more than 10 years ago, we have pursued absolute simplicity. We have achieved this with the third generation of taps. We used over-injection technology to combine two materials in one piece; we added an activation sensor, an anti-drip system with no service limit and a ring for locking the tap in continuous service mode; and we implemented a frosted finish to make disassembly child's play. In addition, the housing is made of marine-grade stainless steel, able to withstand the effects of juice acid and the most aggressive cleaning processes. And all that, in just two components. But what components. Highly resistant — meets the highest hygiene standards. AISI 316



# Smart juicers

Discover the Zumex range of solutions with connectivity and Smart Juicing technology.

The new generation of Smart commercial juicers offer you a Big Data and remote management service for your juice business.

Access all the information on the use, status and productivity of your commercial juicers in real time from any location via the Zumex Connect service. With different types of reports: basic, advanced and maintenance.













## Footprint



# Juicing solutions

Find the commercial juicer that best suits the needs of your business



# Multifruit

Pure power, unlimited creativity.

Specifications			
Fruit type	Fruits and vegetables	Type of consumption	High
Diameter of fruit	Up to 75 mm	Waste capacity	13
Rate (rpm)	(1) 3,500   (2) 4,500	Measurements Width I Depth I Height	290 x 500 x 510 mm
Glass and/or jar	Up to 210 mm		
Voltage	220-240 V   50-60 Hz	115 V   60 Hz	
Power output	870 W   1.17 HP	870 W   1.17 HP	

And that's not all: it also features Easy Grip, an anti-drip tap that has

disc in case of any intervention; and a robust design, with materials

better grip and is more hygienic; a safety system that stops the

and finishes that have been carefully selected down to the last

Oh, and it has the largest waste container on the market (13 I). If

that's not enough, just add the Countertop Kit accessory for infinite


detail, available in five colours. Beautiful, isn't it?

autonomy - it never stops.


Zumex's commercial juicer's name was not chosen randomly. Multifruit is always ready to juice any fruit or vegetable in its way – from apples to pineapples, celery and carrots, thanks to its titanium shredding disc.

And always means always. 24-hour non-stop service. Its Brushless motor is 4 times superior to conventional motors. No friction. No heat release. No change in the taste of the juice. Its Speed Control System keeps a constant speed by modifying the power when necessary, with a speed selector that adapts to each type of fruit and vegetable.

And, although it may not seem possible, it consumes less energy than any other commercial juicer on the market.









Titanium Shredding disc Maximum strength for all fruits and vegetables and long-lasting sharpness.



Optimal flow anti-drip tap Better grip and more hygienic.



Design and intelligence in the smallest space.

Specifications			
Fruit type	Oranges, tangerines, limes, lemons*	Type of consumption	Medium
Diameter of fruit	M Kit (Std) 64-81 mm S Kit (Opt) 45-65 mm XS Kit (Limes Ed) 42-52 mm	Feeder capacity	3/6 oranges, 7/8 limes
Fruits per minute	[M/S]: 18 fruits / min [XS]: 36 fruits / min	Waste capacity	41
Speed	1 juice in 10"	Measurements Width I Depth I Height	300 x 480 x 537 mm
Glass and/or jar	Up to 115 mm		
Voltage	Multi Voltage 100–240 V   50–60 Hz		
Power output	100 W   0.134 HP		

\*It is recommended to use lemons from varieties with rounded shape and thin skin, for example: Eureka, Lisbon, Meyer.


Zumex's entire experience and R&D have been merged in a single commercial juicer with smaller footprint, heart, brain and soul. Soul Series 2 makes absolutely no compromises.

Smart Juicing technology helps you monitor in real time the performance and productivity of all your juicers, configure them, manage them remotely and know when they need maintenance.

Conical System<sup>®</sup> is not only a juicing system reduced to a minimum. It has also been designed to be twice as fast. Through our ASP<sup>®</sup> nanotechnology with silver ions, in addition to sounding super scientific, maximum food safety is achieved.

Juice any citrus fruit from 42 to 81 mm and create different preparations: juices, cocktails, mocktails, pastries, dressings, sauces...

Add to all that the 1Step Case Out, which makes cleaning very easy, and the PulpOut System, which automatically extracts the pulp and seeds. Press the button and get your juice within 10 seconds. It's not magic. We call it Push&Juice.







Kits that adapt to the size of the fruit. Squeezes any citrus fruit from 42 to 81 mm.



1Step Case Out. Easy removal and cleaning. Dishwasher safe.




# The hard part will be choosing the colour.

### Specifications Fruit type Oranges Type of consumption Moderate Diameter of fruit 65–78 mm Feeder capacity 6/7 fruits 4.51 Fruits per minute 13 fruits / min Waste capacity Measurements Width I Depth I Height 1 juice in 15" Speed 383 x 368 x 712 mm Built-in glass and/or jar Up to 120 mm Multi Voltage 220–240 V | 50–60 Hz 100-115 V | 50-60 Hz Voltage 44 W | 0.06 HP 44 W | 0.06 HP Power output

The Minex commercial juicer has been designed to be present in a wide variety of establishments, such as cafes or bakeries. The only thing you have to think about is which of its 12 colours best fits your business.

Its compact juicing system is an adaptation of our Original System<sup>®</sup> — for smaller spaces, but as reliable as ever, and featuring ASP<sup>®</sup> antibacterial nanotechnology for maximum hygiene and protection. Choose how to use it: with the built-in jar to serve it yourself or with

the self-service, non-drip tap for your customers to get their juice themselves. Either way, juice will be ready in 15 seconds and waste will go directly into its built-in container. Convenient, fast and clean.







750 ml jar capacity.





Specifications

# **Essential Pro**


Maximum simplicity.

Specifications			
Fruit type	Oranges, lemons, limes, tangerines	Type of consumption	Medium
Diameter of fruit	65-81 mm (45-67 mm with S Kit)	Feeder capacity	4/5 fruits
Fruits per minute	22 fruits / min	Waste capacity	10   (2 × 5 l)
Speed	1 juice in 10"	Measurements Width I Depth I Height	470 x 500 x 750 mm
Glass and/or jar	Up to 165 mm		
Voltage	220-240 V150-60 Hz	115 V ı 60 Hz	
Power output	300 W   0.40 HP	320 W10.43 HP	

Essential Pro maintains the essence of the range: simplicity, performance and hygiene, taken to the extreme. Yes, you can also juice by simply pressing a button – directly into a glass, a bottle or a jar –, but you can also put it in Autostart mode and you won't even have to press it. It will start juicing as you feed the citrus fruits into the feeder.

The anti-drip tap has two operating modes: one for self-service use and one with an optional locking mechanism for continuous use. So you can use the option that best suits you at any given moment, and it also helps to keep everything cleaner.

Hygiene is also guaranteed thanks to the new Top Performance juicing unit. Besides obtaining more yield from each fruit, it uses silver ion nanotechnology, ASP®, to inhibit bacterial growth.







## **Essential Basic**

Just push a button.

Specifications			
Fruit type	Oranges, lemons, limes, tangerines	Type of consumption	Medium
Diameter of fruit	65-81 mm (45-67 mm with S Kit)	Feeder capacity	6 / 7 fruits
Fruits per minute	22 fruits / min	Waste capacity	10   (2 x 5  )
Speed	1 juice in 10"	Measurements Width I Depth I Height	470 x 500 x 880 mm
Glass and/or jar	Up to 165 mm		
Voltage	220-240 V i 50-60 Hz	115 V ı 60 Hz	
Power output	300 W   0.40 HP	320 W10.43 HP	

Essential is that one thing you can't do without. That's why we made the Essential combine 3 things we believe are necessary in every one of our juicers: ease of use, performance and hygiene.

freshly-squeezed juice. When we say easy, we mean very easy, but

Just a single button. Press to juice. Press to stop. That's it -

without sacrificing functionality. You choose whether to use the anti-drip tap to pour the juice directly into the glass or jar.

We have added our most advanced juicing unit, the Top Performance, and with ASP® nanotechnology that inhibits bacterial growth.

Performance: Colour: Models: Acc. and more info:  $\langle 0 \rangle \langle 0 \rangle$ ASP\* 



Table-top

# Versatile Pro

The most compact super automatic juicer.


Specifications			
Fruit type	Oranges, lemons, limes, tangerines	Type of consumption	High
Diameter of fruit	65-81 mm (45-67 mm with S Kit)	Feeder capacity	16 kg i 35 lbs
Fruits per minute	22 fruits / min	Waste capacity	10   (2 x 5 l)   All-in-One 52 l
Speed	1 juice in 10"	Bottle holders	38 mm / 36 mm / 34.4 mm
Glass and/or bottle	Up to 120 mm   All-in-One 255 mm	Measurements Width I Depth I Height	480 x 550 x 890 mm All-in-One 480 x 550 x 1695 mm
Voltage	220-240 V150-60 Hz	115 V ı 60 Hz	
Power output	380 W I 0.51 HP	320 W10.43 HP	

Versatile Pro, complete and very easy to use. Its feeder capacity (16 kg), with a front door that facilitates the loading of fruit, provides maximum autonomy in a very small space. It includes the new PulpOut system to juice more fruit without interruptions. Up to 150 kg.

Thanks to the 1Step M Kit, it is possible to remove the juicing unit, featuring ASP® antibacterial technology, in a single step. Also dishwasher safe. Hygiene and convenience hand in hand. And with the S Kit you could also offer lime and lemon juices to your customers.

Switch between its two operating modes – self-sevice and professional – and set the number of fruits per juice from its digital display.

Two models to choose from depending on your needs. The tabletop model for cafes and catering chains. The All-in-One model, with podium included and capacity for 52 litres of waste, for self-service spaces in hotels, filling stations, supermarkets or greengrocers.









## **Versatile Basic**

Naturally automatic.

Specifications			
Fruit type	Oranges, lemons, limes, tangerines	Type of consumption	High
Diameter of fruit	65-81 mm (45-67 mm with S Kit)	Feeder capacity	10 kg   22 lb
Fruits per minute	22 fruits / min	Waste capacity	10 l (2 x 5 l)
Speed	1 juice in 10"	Measurements Width I Depth I Height	480 x 550 x 855 mm
Glass and/or jar	Up to 165 mm		
Voltage	220-240 V i 50-60 Hz	115 V i 60 Hz	
Power output	380 W   0.51 HP	320 W10.43 HP	

Versalite Basic follows Zumex's philosophy on ease of use. A single button controls both the start and end of juicing. But it's even a little more convenient.

Thanks to its built-in feeding system, with capacity for 10 kg of fruit, it can produce about 20 juices before needing more fruit. Make better use of the time between one load of fruit and the next while serving the best freshly-squeezed juice without distractions.

No distractions and no bacteria. The new Top Performance juicing unit, featuring ASP<sup>®</sup> antibacterial nanotechnology, has been improved to squeeze more juice out of each piece of fruit. Hygiene and total performance.

The anti-drip tap makes it possible to pour the juice directly into the glass or jar. And no matter what, its built-in waste container collects fruit residues so your business is always spotless.

Performance:	Colour:	Models:	Acc. and more info:
(5)			
WARRANTY		Table-top	

Table-top

# Versatile Pro Cashless

Self-service with payment system.

Specifications			
Fruit type	Oranges, lemons, limes, tangerines	Type of consumption	High
Diameter of fruit	65-81 mm (45-67 mm with S Kit)	Feeder capacity	16 kg i 35 lbs
Fruits per minute	22 fruits / min	Waste capacity	10   (2 x 5 l)   All-in-One 52
Speed	1 juice in 10"	Bottle holders	38 mm / 36 mm / 34.4 mm
Glass and/or bottle	Up to 120 mm   All-in-One 255 mm	Measurements Width I Depth I Height	480 x 550 x 890 mm All-in-One 480 x 550 x 1695 mm
Voltage	220-240 V 150-60 Hz	115 V ı 60 Hz	
Power output	380 W I 0.51 HP	320 W10.43 HP	


So automatic that customers can do it all by themselves: pay, pour the juice and enjoy it.

Payment by card, whatever type it is, so that no one is left without their juice. Nayax payment system with 4 types of payment options: magnetic stripe, chip, MIFARE or contactless. And for those who prefer to leave their cards at home and pay only with their phones, Apple Pay, Samsung Pay, Google Pay... are also available.

If you are worried about someone not knowing how to use it, don't worry. Versatile Pro will explain the 3 steps to follow, and assist the user in the process — so that no one gets lost in the process.

It will also let you know when the juicer needs to be cleaned and the waste emptied. It is that smart, it detects if the cover or juice container is opened, it counts the oranges so you can program how many it juices in each service, it has a password for the operator... and allows modules to extract even more usage data.

Perfect for offering freshly-squeezed juice in self-service areas, offices or coworking spaces.









1 juice, 4 payment methods Contactless, Chip, Magnetic stripe, MIFARE.



Pay, press & enjuice! The best user experience to enjoy the best juice.



# Speed Up

The fastest and sturdiest commercial juicer is also stylish.

### Specifications

Fruit type	Oranges, grapefruits, lemons, limes, tangerines	Type of consumption	Very high
Diameter of fruit	65-81 mm (S Kit: 45-67 mm   L Kit: 75-95 mm)	Feeder capacity	20 kg   44 lb
Fruits per minute	40 fruits / min	Waste capacity	15 l (2 x 7.5 l)
Speed	1 juice in 5"	Bottle holders	38 mm / 36 mm (Opt.) / 34.4 mm (US)
Glass and/or bottle	Up to 180 mm   All-in-One 250 mm	Measurements Width I Depth I Height	593 x 624 x 1050 mm Check all All-in-One measurements in the Tech. specifications.
Voltage	220–240 V   50–60 Hz	120 V   60 Hz	100 V   50-60 Hz
Power output	460 W   0.62 HP	320 W   0.43 HP	350 W   0.47 HP

We've fine-tuned Speed Up to make it even better, now featuring our new Top Performance juicing unit. It delivers the best performance on the market while looking as stunning as ever at your point of sale.

The new Up tap is just as easy to use as it is to clean. Its blocking function makes filling large bottles more convenient. Su función de bloqueo en máquina sobremesa hace más cómodo el llenado de jarras.

The new automatic PulpOut system, lighter and easier to transport, eliminates unpleasantly long fibres, avoiding blockages and


improving autonomy.

Two operating modes: Self-service, where you just press the tap and fill the bottle, and Professional, where you choose exactly the fruit to be squeezed.

Its All terrain wheeled podium is available in Wide or Slim, with Black or Mirror finish.

New cleaner and more protected look thanks to the Dark cover, the new lnox peel outlets and the digital display cover.

The fastest, but also very easy to use.







Up Tap Easy clean tap with holder for three bottle sizes. 34.4 mm | 36 mm | 38 mm



Strong and lightweight podium. Slim model (55 I capacity) or Wide model (100 I capacity) in two finishes: Black or Mirror.



Specifications

# Speed S<sup>+plus</sup>

The highest performance commercial juicer for the most demanding businesses.


Fruit type	Oranges, grapefruits, lemons, limes, tangerines	Type of consumption	Very high
Diameter of fruit	65-81 mm (S Kit: 45-67 mm   L Kit: 75-95 mm)	Feeder capacity	20 kg   44 lb
Fruits per minute	40 fruits / min	Waste capacity	15   (2 × 7.5  )
Speed	1 juice in 5"	Bottle holders	38 mm / 36 mm (Opt.) / 34.4 mm (US)
Glass and/or bottle	Up to 175 mm   All-in-One 255 mm	Measurements Width I Depth I Height	593 x 665 x 1050 mm Check all All-in-One measurements in the Tech. specifications.
Voltage	220–240 V   50–60 Hz	120 V   60 Hz	100 V   50-60 Hz
Power output	460 W   0.62 HP	320 W   0.43 HP	350 W   0.47 HP

Zumex's flagship is the best choice for supermarkets, hotels, restaurants and businesses with high demand for freshly-squeezed juice. The undisputed leader in performance.


Featuring the new NSF-certified 1Step Kit to make cleaning the machine almost as easy as pouring juice. A more ergonomic one-piece design for extracting the unit. It has the best self-service tap on the market, sturdier, with fewer parts and easier to disassemble and clean. With locking function for continuous operation and an improved anti-drip system. Automatic PulpOut system, with triple filtration and conveyor belt that transports the soluble fibre and eliminates unpleasantly long fibres. It is also much lighter and easier to handle during removal for cleaning.

New cleaner and more protected look thanks to the Dark cover, the new lnox peel outlets and the digital display cover.

If you are sure about this option, all you have to do is choose between the Countertop, All-in-One and Tank versions, with a storage tank for juice. Don't look for something better, because it doesn't exist.







New 1Step Kit Easy assembly and disassembly of the juicing unit. Sturdier, more ergonomic and better grip.



High-end tap Best operation on the market. Fewer parts, easy disassembly.




# **Speed Pomegranates**

Easy, fast and non-stop pomegranate juice.

Pomegranates	Type of consumption	Very high
75–95 mm (S Kit 65–85 mm)	Feeder capacity	20 kg   44 lb
30 pomegranates / min	Waste capacity	Up to 100 I
1 juice in 8"	Bottle holders	38 mm / 36 mm (Opt.) / 34.4 mm (US)
-	Measurements Width I Depth I Height	805 x 680 x 1774 mm [Slim]: 674 x 679 x 1774 mm
230 V / 50 Hz	230 V / 60 Hz	115 V / 60 Hz
325 W   0.44 HP	420 W   0.56 HP	280 W   0.38 HP
	75–95 mm (S Kit 65–85 mm) 30 pomegranates / min 1 juice in 8" - 230 V / 50 Hz	75–95 mm (S Kit 65–85 mm)     Feeder capacity       30 pomegranates / min     Waste capacity       1 juice in 8"     Bottle holders        Measurements Width1Depth1Height       230 V / 50 Hz     230 V / 60 Hz

Introducing the first high-performance commercial juicer designed to juice any type of pomegranate, making it extremely easy to do something not that easy. Pomegranate juice in a matter of seconds.

One of the first challenges we encountered was the blade itself, as it had to be able to cut the toughest husks, hence the choice of titanium; we designed the juicing system to perform at its best with the new fruit; we re-designed the PulpOut system to be equally effective with seeds and to eject them faster; and we made non-stop production of up to 100 kg of pomegranates possible without any intervention at all. At 30 pieces of fruit per minute, the name Speed is almost an understatement... but its Up tap easily and flawlessly tackles that amount of fruit. Easy to use and very practical thanks to its ergonomic design and bottle holder. Not to mention the high-quality materials and all the details a Speed always features.







Automatic PulpOut system Designed specifically for pomegranates. Triple filtration with conveyor belt to remove seeds and husk, improving performance and juice quality.



Titanium blade Its strength guarantees excellent cutting and durability.



# PineOmatic

Peel and cut natural pineapples without a fuss.

Specifications			
Fruit type	Pineapple	Type of consumption	High
Speed	30"/pineapple	Pineapple display capacity	8 units
Size	7 or 8 (Choose machine settings according to the desired size)	Waste capacity	40 pineapples
Container size	Size 7: 110 mm - Ø 115 mm Size 8: 110 mm - Ø 95 mm	Display	Video Display 15" (Opt)
Voltage	220-240V 50/60Hz	Measurements Width I Depth I Height	540 x 950 x 1,500 mm
Power output	200 W		

It's as easy as choosing the pineapple of your choice, placing it in the PineOmatic and picking up the container. In the meantime, you can watch the whole process, almost hypnotically, through the window. Fruit prepared, cleaned and ready to eat in a matter of seconds. Let the machine do the hard work and let your customers focus on enjoying a 100% natural, freshly cut pineapple. Making the most of the edible part of each pineapple and reducing waste. A screen explains the process along the way, multiplying the sale of pineapples by up to 5 times. Moreover, there is a separate screen inside for the operator, providing access to the user manual as well as clear assembly and disassembly instructions.

What about maintenance? You only need 15 minutes a day for cleaning, and all spare parts are dishwasher safe, to simplify it even further.

Features:

 100%

 CONTACTLESS

WARRANTY

Models:

 $\square$ 

Acc. and more info:



Size 8



\*Check availability in your market





Video tutorials and pineapple dispenser Display with video to engage customers and demonstrate how easy it is to use the machine.



Contactless Very easy 3-step self-service operation. Integrated container dispenser.



# Mastery

# The heart of your Cold Press juice business.

Specifications			
Fruit type	Fruits and vegetables	Control panel	Touchscreen. 4.3" colour
Production capacity	Up to 30 gal/h   110 l/h	Crusher	Brushless motor, built-in pusher
Maximum pressure	11 tons total force 185 bar (2610 psi)	Operating modes	Manual or semiautomatic
Juice tank	With built-in filter 3 gal   11   capacity	Filtering	Fine, medium, coarse filter bags
Crusher power	1.5 kW (2 hp)	Measurements Width I Depth I Height	940 x 735 x 1700 mm
Press power	0.75 kW (1 hp)	Voltage	Single-phase 220-240 V   50 - 60 Hz

The Zumex cold-pressing solution for making all kinds of fruit and vegetable juices. Mastery makes the difference thanks to its crushing efficiency and power, featuring grating discs and a Brushless motor.

Unrivalled power and efficiency to crush any fruit or vegetable without sacrificing the properties of fresh fruit. The 11 tonnes of power in the stainless steel press is combined with plates designed for the highest performance, up to 110 litres per hour. Sounds good, tastes better. With Mastery, you can fully customise your range of juices and provide a totally exclusive and natural product. It has been designed to make your job easier, with a full-colour

touch screen to control all parameters. Use the four preset programmes or create your own programmes for creative freedom.

Hygiene and safety are not overlooked either, with sensors to stop the machine if necessary and an emergency push-button to stop the machine immediately.

Features:





Models:

Acc. and more info:





### Other solutions



Ergonomic, 100% secure feeder with built-in pusher and On/Off system Reduces the working space to 25 cm, making it easier to load with one hand. Greater agility, safety and hygiene.



Choose the way you work Different programmes for soft fruit, hard fruit, green leafy vegetables, mix, or configure your own mode of use by customising the times, pressing speed and number of cycles.



# Vending

Freshly squeezed juice 24/7.

Specifications	

mperature Adjustable 7° to 16°
capacity 50 kg   110 lb
apacity Up to 100 I
t systems Cashless, coins and/or bills
ements 950 x 790 x 1830 mm
50 Hz
1.94 HP

The best solution to give your customers access to freshly squeezed orange juice at any time of the day or night. Perfect for spaces where people are constantly coming and going, such as shopping centres, companies, universities, schools, hospitals or gyms.

Now with the new Original System<sup>®</sup> Top Performance juicing system, which squeezes even more juice from every piece of fruit and, as always, preserves its flavour in perfect condition. Maximum hygiene guaranteed thanks to ASP<sup>®</sup> antibacterial nanotechnology.

And since what is natural should be displayed, you can choose

between three window models. What else do you need? Add accessories to personalise it.

The telemetry kit facilitates monitoring all consumption data, warnings, maintenance details... from your mobile and whenever you want. The Nayax Cashless Kit payment system, for any type of card or contactless payment solution. The cleaning kit, for a quick part replacement.

You can also customise the backlit cover to match your brand's style. And if that wasn't enough, it also has an automatic pulp sweeping and programmable water diffuser cleaning system, which makes everything so much easier.


Acc. and more info:

Features:



\_\_\_\_\_

Models:






1 window 2 windows Large window

\*Check availability in your market





Great autonomy Up to 120 services. De serie con vasos de cartón Respetamos el medioambiente.



All the information at your fingertips Monitor your machine's sales and profitability in real time with the telemetry kit.



Accessories

72

# Accessories

Zumex has a wide range of juicing kits.

### **Original System®**



S kit 45-67 mm For smaller fruits: limes, lemons, tangerines or small oranges. Available for Essential Pro and Basic / Versatile Basic / Speed Up models



M kit 65-81 mm For medium fruits: lemons and oranges. Standard and available for Essential Pro and Basic / Versatile Basic / Speed Up models



L kit 75-95 mm For bigger fruits: large oranges and grapefruit. Available for Speed Up models

### Conical System®



XS kit 42-52 mm For squeezing limes. Standard on Soul Series 2 Limited Edition and available for Soul Series 2



S kit 45-65 mm For squeezing lemons\*, limes and small oranges. Available for Soul Series 2

\*It is recommended to use lemons from varieties with rounded shape and thin skin, for example: Eureka, Lisbon, Meyer.

## 1Step Kits

For faster and cleaner removal of the juicing unit. Use this accessory to disassemble the juicing unit in one piece and prepare your machine for the next kit.



1Step S kit 45-67 mm For smaller fruits: limes, lemons, tangerines or small oranges. Available for Versatile Pro / Speed S \* Plus models



1Step M kit (65-81 mm) For medium fruits: lemons and oranges. Standard and available for Versatile Pro / Speed S +plus model



1Step L kit 75-95 mm For bigger fruits: large oranges and grapefruit. Available for Speed S +plus





S kit Pomegranates 65-85 mm For small pomegranates, below 85 mm. Available for Speed Pomegranates range.



M kit Pomegranates 75-95 mm For medium and large pomegranates. Standard on Speed Pomegranates range



M kit 64-81 mm For squeezing lemons\* and oranges. Standard on Soul Series 2.

Accessories

74

### Countertop

Accessory for continuous waste removal. It facilitates attaching the machine to the counter and connecting it directly to the waste container installed inside your set.



## Juice Corner Sets



Bottle rack set Mirror

Set comprising bottle holders,

Measurements 500 x 708.5 x 2029.5 mm 19.7" x 27.9" x 79.9"

storage space and paper dispenser.



Bottle rack set Black Set comprising bottle holders, storage space, paper dispenser and wastebasket.

Measurements 500 x 680 x 2135 mm 19.7" x 26.7" x 84"

Display convenience Lightweight bottle rack set.

Bottle rack with interchangeable panel.



Measurements 300 x 500 x 1885 mm 11.9" x 19.7" x 74.2"

display neatly.

Bottle rack ensemble

Organise your bottles or glasses



Podium Slim\*

Measurements 595 x 655 x 787 mm

23.4" x 25.7" x 30.9"

of spaces.

bottle.

Black ultra-compact accessory set

for high waste capacity in the smallest

Autonomy: up to 300 squeezed oranges

155 I container With 2-position drip tray, for glass and

Podiums







Podium Wide Mirror\*

Black accessory set for maximum autonomy for your Speed.

Podium Wide Black\*

Autonomy: up to 500 squeezed oranges 2 containers: 100 l With 2-position drip tray, for glass and bottle.

Measurements 805 x 655 x 787 mm 31.6" x 25.7" x 30.9"

bottle.

\*Available for Speed Up, Speed S \*plus and Speed Pomegranates (Pomegranates only available in Black).

Measurements 805 x 626 x 787 mm

31.6" x 24.6" x 30.9"











Bottles made of 100% recycled plastic preserving the properties and aroma of juice.

### Citric Active™

Professional detergent for professional sanitising and cleaning of your commercial juicer or blender



Stainless steel accessory set for maximum autonomy for your Speed.

Autonomy: up to 500 squeezed oranges 2

containers: 100 l With drip tray 2 positions, for glass and



### Juice Kart

Exclusive design set for Soul S2. Thanks to its wheels your commercial juicer can go wherever your business needs it.

Autonomy: Up to 250 squeezed oranges 1 container: 50 l It has an extra area for the storage of fruit, glasses, napkins, and other accessories.

Measurements 856 x 580.5 x 939 mm 33.7" x 22.8" x 36.9"

75

Specifications





Soul Series 2

Minex

Multifruit

Fruit type	Fruits and vegetables	Oranges, tangerines, limes, lemons*	Oranges
Diameter of fruit	Up to 75 mm	M Kit (Std) 64-81 mm S Kit (Op) 45-65 mm XS Kit (Limes Ed) 42-52 mm	65–78 mm
Fruits per minute	-	M/S KIT: 18 fruits / min XS KIT: 36 fruits / min	13 fruits / min
Rate (juice / 250 ml)	3.500 ı 4.500 rpm	1 juice in 10"	1 juice in 15"
Type of consumption	High	Medium	Moderate
Feeder capacity	-	3/6 oranges, 7/8 limes	6 / 7 fruits
Waste capacity	131	41	4.51
Bottle holder	-	-	-
Voltage	220-240 V   50-60 Hz 115 V i 60 Hz	Multi voltage   100–240 V   50–60 Hz	Multi voltage   220–240 V   50–60 Hz   100–115 V   50–60 Hz
Power output	870 W   1.17 HP	100 W   0.134 HP	44 W   0.06 HP

*It is r	ecommended to use lemons from varie	eties with rounded shape ar	nd thin skin, for example: Eure	eka, Lisbon, Meyer.

### **Technical Information**

Consumption	1.8 A	0.4-3.4 A (100-130 VAC) 0.3-1.5 A (220-240 VAC)	0.2 A / 0.45 A
Protection against moisture	IPX1	IPX0	IPX0
Safety	Double microswitch on handle and juice container. Safety detection and thermal protection system	Microswitch on door and motor locking detection mechanism	Triple safety detector and motor locking detection mechanism
Sound pressure level	Below 70 dB	Below 60 dB	Below 65 dB
Connectivity	-	Smart Juicer	-
Filling height	210 mm	115 mm	120 mm

### Measurements

Measurements	290 x 500 x 510 mm 11.4"x 19.7" x 20.1"	300 x 480 x 537 mm 11.8" x 18.9" x 21.1"	383 x 368 x 712 mm 15.1" x 14.5" x 28"
Net weight	15 kg   33 lb	32 kg i 71 lb	19.5 kg   43 lb
Footprint	0.14 m <sup>2</sup>	0.14 m <sup>2</sup>	0.14 m <sup>2</sup>



Oranges, tangerines, limes, lemons	Oranges, tangerines, limes, lemons	Oranges, tangerines, limes, lemons	Oranges, tangerines, limes, lemons
M Kit: 65-81 mm S Kit (Op): 45-67 mm	M Kit: 65-81 mm S Kit (Op): 45-67 mm	M Kit: 65-81 mm S Kit (Op): 45-67 mm	M Kit: 65-81 mm S Kit (Op): 45-67 mm
22 fruits / min			
1 juice in 10"			
Medium	Medium	High	High
6/7 fruits	4/5 fruits	10 kg   22 lb	16 kg ı 35 lbs
10   (2 x 5  )	10 l (2 x 5 l)	10 l (2 × 5 l)	10   (2 x 5 l) All-in-One 52
-	-	-	Holder 38 mm / 36 mm / 34.4 mm
220-240 V   50-60 Hz 115 V i 60 Hz	220-240 V   50-60 Hz 115 V i 60 Hz	220-240 V i 50-60 Hz 115 V i 60 Hz	220-240 V i 50-60 Hz 115 V i 60 Hz
300 W   0.40 HP 320 W i 0.43 HP	300 W   0.40 HP 320 W 1 0.43 HP	380 W   0.51 HP 320 W   0.43 HP	380 W i 0.51 HP 320 W i 0.43 HP


2.7 A	2.7 A	2.7 A	2.7 A
IPX4	IPX4	IPX4	IPX4
Double safety detector and motor locking detection mechanism	Double safety detector and motor locking detection mechanism	Double safety detector and motor locking detection mechanism	Double safety detector and motor locking detection mechanism
Below 65 dB	Below 65 dB	Below 65 dB	Below 65 dB
-	Smart version available	-	Smart version available
165 mm	165 mm	165 mm	Table-top 120 mm All-in-One 255 mm

470 x 500 x 880 mm 18.5" x 19.7" x 34.6"	470 x 500 x 750 mm 18.5"x 19.7"x 29.5"	480 x 550 x 855 mm 18.9"x 21.7"x 33.7"	480 x 550 x 890 mm 18.9"x 21.7"x 35" All-in-One 480 x 550 x 1695 mm 18.9"x 21.7"x 66.7"
43.5 kg   96 lb	45.5 kg   100 lb	51 kg   112.4 lb	56.5 kg   124.5 lb All-in-One 89.5 kg   197 lb
0.23 m <sup>2</sup>	0.23 m <sup>2</sup>	0.26 m <sup>2</sup>	0.26 m <sup>2</sup>



### Versatile Basic Versatile Pro





Cashless





Speed Up All-in-One

### Specifications

Fruit type	Oranges, tangerines, limes, lemons	Oranges, grapefruits, lemons, limes, tangerines	Oranges, grapefruits, lemons, limes, tangerines
Diameter of fruit	M Kit: 65-81 mm S Kit (Op) (Op): 45-67 mm	M Kit: 65-81 mm S Kit (Op): 45-67 mm L Kit (Op): 75-95 mm	M Kit: 65-81 mm S Kit (Op): 45-67 mm L Kit (Op): 75-95 mm
Fruits per minute	22 fruits / min	40 fruits / min	40 fruits / min
Rate (juice / 250 ml)	1 juice in 10"	1 juice in 5"	1 juice in 5"
Type of consumption	High	Very high	Very high
Feeder capacity	16 kg i 35 lbs	20 kg   44 lb	20 kg   44 lb
Waste capacity	10   (2 x 5 l) All-in-One 52 l	15 I (2 x 7.5 I)	Up to 100 l
Bottle holder	Holder 38 mm / 36 mm / 34.4 mm	Holder 38 mm / 36 mm (Opt.) 34.4 mm (US)	Holder 38 mm / 36 mm (Opt.) 34.4 mm (US)
Voltage	220-240 V 150-60 Hz 115 V 160 Hz	220–240 V   50–60 Hz 120 V   60 Hz 100 V   50-60 Hz	220–240 V   50–60 Hz 120 V   60 Hz 100 V   50-60 Hz
Power output	380 W 10.51 HP 320 W 10.43 HP	460 W   0.62 HP 320 W   0.43 HP 350 W   0.47 HP	460 W   0.62 HP 320 W   0.43 HP 350 W   0.47 HP

### **Technical Information**

Consumption	1.7 A / 2.7 A	1.9 A / 2.7 A / 3.5 A	1.9 A / 2.7 A / 3.5 A
Protection against moisture	IPX4	IPX4	IPX4
Safety	Double safety detector and motor locking detection mechanism	Triple safety detector and motor locking detection mechanism	Triple safety detector and motor locking detection mechanism
Sound pressure level	Below 65 dB	Below 65 dB	Below 65 dB
Connectivity	-	Smart version available	Smart version available
Filling height	Table-top 120 mm All-in-One 255 mm	180 mm	250 mm

### Measurements

Measurements	480 x 550 x 890 mm 18.9"x 21.7"x 35" All-in-One Cashless 480 x 550 x 1695 mm 18.9"x 21.7"x 66.7"	593 x 624 x 1050 mm 23.3" x 24.6" x 41.3"	Slim 620 x 679 x 1774 mm 24.4" x 26.7" x 69.8" Wide Mirror 805 x 708 x 1774 mm 31.7" x 27.8" x 69.8" Wide Black 805 x 680 x 1774 mm 31.7" x 26.8" x 69.8"
Net weight	56.5 kg / 124.5 lb All-in-One 89.5 kg / 197 lb	76.7 kg i 169.2 lb	Slim 116 kg   255,8 lb Wide Mirror 122,3 / 269.7 Wide Black 133.2 kg / 293.7 lb
Footprint	0.26 m <sup>2</sup>	0.37m²	Slim 0,42 m² Wide Mirror 0,57 m² Wide Black 0,55 m²








Oranges, grapefruits, lemons, limes, tangerines	Pomegranates	Oranges
M Kit: 65-81 mm S Kit (Op): 45-67 mm L Kit (Op): 75-95 mm	M Kit: 75-95 mm S Kit (Op): 65-85 mm	M Kit: 65-81 mm
40 fruits / min	30 pomegranates / min	20 - 50 sec. per service
1 juice in 5"	1 juice in 8"	1 juice in 20" - 50"
Very high	Very high	Very high
20 kg   44 lb	20 kg   44 lb	50 kg   110 lb
Up to 100 l	Up to 100 l	Up to 100 l
Holder 38 mm / 36 mm (Opt.) 34.4 mm (US)	Holder 38 mm / 36 mm (Opt.) 34.4 mm (US)	-
220–240 V   50–60 Hz 120 V   60 Hz 100 V   50-60 Hz	230 V / 50 Hz 230 V / 60 Hz 115 V / 60 Hz	220 V   60 Hz 230 V   50 Hz
460 W   0.62 HP 320 W   0.43 HP 350 W   0.47 HP	325 W   0.44 HP 420 W   0.56 HP 280 W   0.38 HP	1450 W   1.94 HP
	tangerines M Kit: 65-81 mm S Kit (Op): 45-67 mm L Kit (Op): 75-95 mm 40 fruits / min 1 juice in 5" Very high 20 kg   44 lb Up to 100 l Holder 38 mm / 36 mm (Opt.) 34.4 mm (US) 220–240 V   50–60 Hz 120 V   60 Hz 100 V   50–60 Hz 100 V   50–60 Hz 460 W   0.62 HP 320 W   0.43 HP	tangerines       Pointegranates         M Kit: 65-81 mm S Kit (Op): 45-67 mm L Kit (Op): 75-95 mm       M Kit: 75-95 mm S Kit (Op): 65-85 mm         40 fruits / min       30 pomegranates / min         1 juice in 5"       1 juice in 8"         Very high       Very high         20 kg   44 lb       20 kg   44 lb         Up to 100 I       Up to 100 I         Holder 38 mm / 36 mm (Opt.) 34.4 mm (US)       Holder 38 mm / 36 mm (Opt.) 34.4 mm (US)         220-240 V   50-60 Hz       230 V / 50 Hz         120 V   60 Hz       115 V / 60 Hz         120 V   60 Hz       325 W   0.44 HP         320 W   0.43 HP       325 W   0.44 HP

1.9 A / 2.7 A / 3.5 A	1.9 A / 2.7 A / 3.5 A	1.5 A /2 A/ 2.7 A	6.6 A
IPX4	IPX4	IPX4	-
Triple safety detector and motor locking detection mechanism	Triple safety detector and motor locking detection mechanism	4 safety detectors and motor locking detection mechanism	-
Below 65 dB	Below 65 dB	Below 65 dB	Below 60 dB
Smart version available	Smart version available	-	-
175 mm	255 mm	250 mm	-

593 x 665 x 1050 mm 23.3" x 26.2" x 41.3"	Slim 620 x 679 x 1774 m 24.4" x 26.7" x 69.8 Wide Mirror 805 x 708 x 1774 m 31.7" x 27.8" x 69.8" Wide Black 805 x 680 x 1774 m 31.7" x 26.8" x 69.8"	Slim         674 x 679 x 1774 mm           m         26.5" x 26.7" x 69.8"           Wide Black         805 x 680 x 1774 mm           m         31.7" x 26.8" x 69.8"	950 x 790 x 1830 mm 37.4" x 31.1" x 72"
83.5 kg ı 184.1 lb	Slim 114.3 kg ı 252.5 lb Wide Mirror 120.6 kg ı 266 lb Wide Black 131.5 / 290 lb	Slim 114.5 kg ı 252.5 lb Wide Black 131.7 kg / 290.4 lb	260 kg i 573 lb
0.37 m <sup>2</sup>	Slim 0,42 m <sup>2</sup> Wide Mirror 0,57 m <sup>2</sup> Wide Black 0,55 m <sup>2</sup>	Slim 0,45 m² Wide Black 0,55 m²	1.74 m <sup>2</sup>

79



### Vending

### Pomegranates

80

# Extend your warranty to 5 years

Register your product on our website within 3 months from the date of purchase.



Scan to register your product quickly and easily

# Guaranteed quality and reliability

Zumex juicing solutions comply with the most demanding international certifications, ensuring maximum quality, safety and hygiene.





### **Zumex Group I Headquarters**

Poligono Ind. Moncada III C/ Moli, 2 46113 Moncada, Valencia - Spain Tel. +34 961 301 251 zumex@zumex.com

### **Zumex France**

Immeuble Panama Parc Tertiaire Silic 45 rue de Villeneuve 94573 Rungis Cedex, Paris - France Tel. +33 975 187 354 zumex/rance@zumex.com

### Zumex UK

17 Carlisle Street W1D 3BU London, United Kingdom Tel. +44 2035191292 zumexuk@zumex.com

### **Zumex Deutschland**

Elisabethstraße 11 40217 Düsseldorf - Deutschland Tel. +49 211 418 73351 zumexdeutschland@zumex.com

### Zumex Mexico

Uxmal 616, Colonia Vértiz Narvarte Alcaldía Benito Júarez, CP 03600 Mexico City - Mexico Tel. +52 (55) 5212-0619 zumexmexico@zumex.com

### **Zumex North America**

1573 NW 82nd Ave, Miami, FL 33126 - United States Tel. +1 305 591 0061 Technical Assistance: 1-877-ZUMEX-TA (+1 877 986 3982) zumexusa@zumex.com



11412 Jul. 2022

