



TOASTERS HIGH-PERFORMANCE

CONTACT & CONVEYOR MODELS

Built to stand up to the most rigorous foodservice operations

Fast, consistent heating that meets your toasting needs
on demand with our wide variety of toasting options




QCS3-1600B

TOASTERS BUYING GUIDE

HOW WILL YOU USE YOUR TOASTER?

- **BATCH PROCESS** - low volume & irregular
- **CONTINUOUS OPERATION** - high volume & ongoing



WHAT ARE YOU TOASTING?

OPENING SIZE PER PRODUCT		
BREAD 1.5"	BAGELS 1.75"	BUNS 3.0"

Buns, bagels, and breads **all have varying heights**

Consider the height of your product when selecting the right toaster style



SCT4000E VERTICAL CONTACT TOASTER

- First buns pass-through time is as low as 12 seconds fully caramelized
- Bun height adjustment controlled with an easily adjusted twist knob
- Supplied with an easy-to-install non-stick sheet
- Single piece front and rear silicone belts
- High-contrast display allows an infinite number of programmed product settings
- USB port programming allows easy uploading of new product files consistently, across any number of toasters

CAPABLE OF UP TO



1,800 BUN-HALVES PER HOUR



two heels & two crowns
at once, constant feed



SCT4000E

HOLMAN SCT4000E VERTICAL CONTACT TOASTER

Model No.	Prices F.O.B. Smithville, TN	Description	CAPACITY per HOUR	Volts ¹	NEMA Plug	Watts	Width [in.]	Depth [in.]	Height [in.]	Ship Wt. [lb.]	Freight Class
SCT4000E	\$19,547	PROGRAMMABLE CONTROLS VARIABLE SPEED & TEMPERATURE CONTROL, DIGITAL STEPPER MOTOR	1,800 bun halves	208/240 230	6-15P CEE7/7	2,000/2,663 2,446	21.70	9.50	25.70	100	85

ACCESSORIES

Model No.	List	Description
SCTBWP	\$2,202	PERFORATED BUTTER WHEEL for SCT
SCTBWS	\$1,585	SMOOTH BUTTER WHEEL for SCT
SCTSHEET-B	\$1,133	(10) NON-STICK SHEETS for SCT, BUTTER APPLICATIONS

non-stick sheet
for SCT4000E



SCTSHEET-B



HCT HORIZONTAL CONTACT TOASTERS

- Caramelize/seal buns & bread to extend holding time
- Durable Chain or non-marking Silicone belt options
- Analog and Electronic Control Options
- Knob adjustment for product height
- Low-profile design



HOLMAN HCT HORIZONTAL CONTACT TOASTERS

Model No.	Belt Type	Voltage	Prices FOB Smithville, TN	Model No.	Belt Type	Voltage ¹	Prices FOB Smithville, TN
ANALOG CONTROLS				ELECTRONIC CONTROLS			
HCT13M	Metal Chain	208	\$9,258	HCTE13M	Metal Chain	208	\$10,242
HCT13M-240		240	\$9,258				
HCT13M-230		230	\$9,258				
HCT13S	Silicone	208	\$9,258	HCTE13S	Silicone	280	\$10,242
HCT13S-240		240	\$9,258				
HCT13S-230		230	\$9,258				

HCT model specs on table below. 1-240 & 230V not available on HCTE13M & HCTE13S Electronic control models

SPECIFICATIONS - HCT CONTACT TOASTERS

Model	BUN HALVES per HOUR	Volts ¹	NEMA Plug	Watts	Width [in.]	Depth [in.]	Height [in.]	Ship Wt. [lb.]	Freight Class
HCT13M HCTE13M	1700	208	6-20P	2800	19.25	24.40	17.30	115	85
		240	6-20P	3000					
		230	CEE7/7	2750					
HCT13S HCTE13S		208	6-20P	2550	19.25	24.40	17.30	115	85
	240	6-20P	2650						
	230	CEE7/7	2450						

1-240V & 230V not available on HCTE13M & HCTE13S Elec.Control models

ACCESSORIES

Model No.	List	Description
HCTEBW	\$1,134	BUTTER WHEEL for HCT
HCTFEED	\$339	FEEDER TRAY for HCT
CTSHEET10	\$313	(10) NON-STICK SHEETS for HCT



QCS1-350



QCS1 toasters

- Optimal performance in a compact size
- 10" w belt for up to 2-slices/bread, side-by-side
- Analog temperature & belt speed adjustment
- Bagel toaster heats max power on 1-side
- 120V service for use anywhere in your kitchen

Compact, only 14 1/4 inches wide
MAXIMUM PERFORMANCE
MINIMUM COUNTER SPACE

HOLMAN QCS1 COMPACT CONVEYOR TOASTERS

⚡ HOLMAN QCS1 COMPACT CONVEYOR TOASTERS

ANALOG CONTROLS ¹		Slices per HOUR	Description	Volts	Watts	NEMA Plug	Width [in.]	Depth [in.]	Height [in.]	Ship Wt. [lb.]	Freight Class
QCS1-350	\$2,704	350	1.5" Opening COMPACT toaster	120	1600	5-15P	14.25	18.88	13.25	44	85
QCS1-500B	\$4,394	500	1.5" Opening BAGEL toaster	120	1600	5-15P	14.25	18.88	13.25	44	85

All prices F.O.B Smithville, TN



QCS2-600H



QCS2 toasters

- 10" w belt for up to 2-slices/bread, side by side
- Analog controls for belt speed, top and bottom heat
- Analog temperature & belt speed adjustment
- Programmable belt speed & top and bottom heat
- Inlet height options for toast, bagels, and buns

Compact, only 14 1/2 inches wide
MAXIMUM PERFORMANCE
MINIMUM COUNTER SPACE

HOLMAN QCS2 COMPACT CONVEYOR TOASTERS

⚡ HOLMAN QCS2 CONVEYOR TOASTERS

ANALOG CONTROLS		ELECTRONIC CONTROLS		Slices per HOUR	Description	Volts ¹	Watts	NEMA Plug	Width [in.]	Depth [in.]	Height [in.]	Ship Wt. [lb.]	Freight Class
QCS2-500	\$5,086	QCSe2-500	\$5,940	500	1.5" Opening COMPACT toaster	120	1,700	5-15P	14.50	22.38	15.63	64	85
QCS2-600H	\$5,608	QCSe2-600H	\$6,623	600	3.0" Opening BUN toaster	208 240*	2,800	6-20P 6-20P	14.50	22.38	15.63	64	85
QCS2-800	\$4,888			800	1.5" Opening COMPACT toaster	208 240	2,800	6-20P 6-20P	14.50	22.38	15.63	64	85
QCS2-1200B	\$6,389			1,200	1.75" Opening BAGEL toaster	208	3,200	6-20P	14.50	22.38	15.63	64	85

All prices F.O.B Smithville, TN

1 - Specify 120V, 208V, 240V when ordering

* 240V not available on QCSe2-600H model



HOLMAN QCS3 HIGH-VOLUME CONVEYOR TOASTERS



QCS3-950H



QCS3 -1600B

QCS3 toasters

- 14" wide belt for up to 3-slices of bread, side by side
- Analog controls for belt speed, top and bottom heat
- Programmable belt speed and top and bottom heat
- Inlet height options for toast, bagels, and buns

⚡ HOLMAN QCS3 HIGH VOLUME CONVEYOR TOASTERS

ANALOG CONTROLS		Slices per HOUR	Description	Volts ¹	Watts ¹	NEMA Plug	Width [in.]	Depth [in.]	Height [in.]	Ship Wt. [lb.]	Freight Class
QCS3-1000	\$6,297	1,000	1.5" Opening COMPACT toaster	208	3,200	6-20P	18.50	22.38	15.63	68	85
QCS3-950H	\$6,238	950	3.0" Opening BUN toaster	208 240	3,200	6-20P 6-20P	18.50	22.38	15.63	68	85
QCS3-1300	\$7,543	1,300	1.5" Opening COMPACT toaster	208	3,600	6-30P	18.50	22.38	15.63	68	85
QCS3-1600B	\$7,427	1,600	2.0" Opening BAGEL toaster	208	3,400	6-30P	18.50	22.38	15.63	68	85
All prices F.O.B Smithville, TN				1 - Specify 208V or 240V							



HOLMAN QCS3 SPECIALTY CONVEYOR TOASTERS

⚡ HOLMAN SPECIALTY CONVEYOR TOASTERS



QCS3-1400BH



DT14

ANALOG CONTROLS		Slices per HOUR	Description	Volts ¹	Watts	NEMA Plug	Width [in.]	Depth [in.]	Height [in.]	Ship Wt. [lb.]	Freight Class	BELT Width & Capacity
DT14	\$13,224	2,000	2.25" Top Opening 1.75" Bottom Opening DOUBLE CONVEYOR toaster	208 240	4,800	6-30P	19.50	23.43	24.06	102	85	14" 3 Slices
QCS3-1400BH	\$8,113	1,400	3.0" Opening VARIABLE BAGEL & BREAD toaster	208 240	3,400	6-30P 6-30P	18.50	22.38	15.63	68	85	14" 3 Slices
RCS2-600BN	\$4,590	600	1.75" Opening COMPACT BAGEL toaster	120	1,700	5-15P	9.90	23.25	17.20	58	85	5" 1 Slice
All prices F.O.B Smithville, TN			1 - Specify 120V, 208V, or 240V Service when ordering. All units rated for 50-60Hz cycles.									

DT14 TOASTER

The DT14 Double Toaster defines productivity. Two variable speed conveyor belt controls and top/bottom heat controls for perfect color and texture on everything. Product entry opening adjustable from 1" to 2.25" high in top toaster. Bottom entry is 1.75".

QCS3-1400BH TOASTER

The QCS3-1400BH toaster takes production flexibility to a whole new level with the extra-wide 3" inlet. Normal operation, 3400W of power is applied evenly between top and bottom, like a standard toaster. A toggle switch in the lower left corner converts the unit to 3400W of TOP HEAT ONLY, for maximum bagel and bun productivity.

RCS2-600 TOASTER

The RCS2-600BN is the name in compact bagel productivity. 10" overall width, it can fit ANYWHERE, and the 5" wide belt can process 600 slices/hour. The 120V utility and compact size make this unit is perfect for satellite locations - next to the drive through, near the register...whatever your needs.